

Mortars - Enhance the Beauty of Your Building with AALBORG WHITE®



Bright and Richly Coloured Plaster and Stucco with AALBORG WHITE®



Mortars are used in a wide range of applications, and when aesthetic appeal is a priority, AALBORG WHITE® is often included in the formulation. AALBORG WHITE® with its high reflective index, in addition to high strength and consistent chemical composition, makes it the preferred cement for many mortar products such as....



Top left: Toulouse, France Top right: Tuborg Nord, Copenhagen Bottom right: Kastrup Station

Plaster and Stucco

Plaster and stucco made from AALBORG WHITE® not only result in strong and weather resistant facings, but create an attractive environment with room for individuality. When facings are coated with coloured plaster or stucco incorporating AALBORG WHITE® the result is unparalleled depth and intensity of colour.

Cement-based Paint

Cement-based paint can be used to create decorative and protective surfaces. It is the optimum paint for plaster, stucco, precast concrete, roofing tiles, natural stone surfaces and other mineral based materials. Since cement-based paint is mineralogically akin to the material it is designed to protect, it provides a strong bond to the substrate, whilst at the same time allowing it to breathe. AALBORG WHITE® is the ideal choice for producing cement-based paint. The high reflective index makes it possible to create clear, rich colours through the use of pigments, whilst its high strength enhances durability.



adds a New Dimension to Architectural Design



Pointing Mortar

Pointing mortar is produced from AALBORG WHITE* instead of grey cement where sharp contrast or light coloured bricks and blocks are desired.

Flooring Based on AALBORG WHITE®

The advantage of using mortar based on AALBORG WHITE* for floor toppings clearly lies in the high reflection of the finished surface, and the effect that this has on brightening up a room. In addition, AALBORG WHITE* ensures optimum strength and durability.

Adhesives and Joint Fillers

Adhesives and joint fillers can be produced from AALBORG WHITE*. In cases where thin, lightly coloured tiles are used, it can be an advantage if the underlying adhesive is also lightly coloured. AALBORG WHITE* is the ideal binder for adhesives and joint fillers.



Top left: Norgesgade, Fredericia Bottom left: Martziusgaarden, Birkeroed Bottom right: Vestervoldgade, Nyborg



Colours and Surface Textures

Colouring with Pigments

Bright, rich colours are achieved by combining AALBORG WHITE* with colouring pigments. Colouring is usually achieved with synthetically produced in-organic pigments, which are lime-proof, alkali-resistant, weather resistant, and non-fading.



Application Technique

Plaster and stucco can be applied by machine spraying or by handtroweling, as single or multiple coatings and the surface texture can be as smooth or coarse as desired.





Aalborg Portland A/S Aalborg Portland White A/S

Rørdalsvej 44 Postbox 165 DK-9100 Aalborg

Phone +45 98 16 77 77
Fax +45 98 10 11 86
E-mail: sales@aalborg-portland.dk
Internet: www.aalborg-portland.dk

